SAFETY DATA SHEET

This safety data sheet complies with the requirements of: (CLP) Regulation (EC 1272/2008)

Revision Date 06-Oct-2020 **Version** 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Code ENC56-5, ENC56-55
Product Name AUTO MAGIC ECONO WASH AND WAX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Automotive Care Product: Soap. For professional use only. Dilution Required. Follow Technical Data Sheet for Dilution Instructions.

Uses advised against Uses other than recommended use.

1.3. Details of the supplier of the safety data sheet

Manufacturer
ITW Evercoat
6600 Cornell Road
Cincinnati, Ohio 45242
Telephone: 513-489-7600

E-mail address:
Info@automagic.com

1.4. Emergency telephone number

24-hour emergency phone number - CHEMTREC: 1-800-424-9300 INTERNATIONAL: 1-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION:

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Chronic aquatic toxicity	Category 2 - (H411)

Classification according to Regulation (EC) No. 1272/2008 [CLP]
Full text of R-phrases: see section 16

2.2. Label elements

Statements of hazard
H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements

P273 - Avoid release to the environment
P391 - Collect spillage
P501 - Dispose of contents/ container to an approved waste disposal plant

Other Information
• Toxic to aquatic life with long lasting effects

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Sodium Hydroxide	215-185-5	1310-73-2	0.1 - 1	Skin Corr. 1A (H314)	Exempt - Volume
Glycerine	200-289-5	56-81-5	0.1 - 1		Exempt -
ETHANOL, 2,2'-IMINOBIS-	203-868-0	111-42-2	0.1 - 1	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) STOT RE 2 (H373)	Exempt - Volume
Ethanol	200-578-6	64-17-5	<0.1	Flam. Liq. 2 (H225)	01-2119457610-43-XXXX
Methanol	200-659-6	67-56-1	<0.1	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370) Flam. Liq. 2 (H225)	01-2119433307-44-XXXX
Sulfuric Acid	231-639-5	7664-93-9	<0.1	Skin Corr. 1A (H314)	Exempt - Volume
3-Iodo-2-propynyl butylcarbamate	259-627-5	55406-53-6	<0.1	Acute Tox. 4 (H302) Acute Tox. 3 (H331) Eye Dam. 1 (H318) Skin Sens. 1 (H317) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Exempt -
Benzaldehyde	202-860-4	100-52-7	<0.1	Acute Tox. 4 (H302)	Exempt - Volume

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice Get medical advice/attention if you feel unwell.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.

Skin contact IF ON SKIN:. Wash with soap and water. If symptoms persist, call a physician. Wash contaminated clothing before reuse.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms See section 2 for more information

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media
Carbon dioxide (CO2). Foam. Use dry chemical.

Unsuitable extinguishing media
No information available

5.2. Special hazards arising from the substance or mixture

None in particular.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions
Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Wash thoroughly after handling.

For emergency responders
Use personal protection recommended in Section 8.

6.2. Environmental precautions

See section 12 for additional ecological information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use personal protective equipment as required.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling
Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid breathing vapors or mists.

General Hygiene Considerations
Do not eat, drink or smoke when using this product. Take off all contaminated clothing and wash it before reuse. Wash hands and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place.

Incompatible materials
Strong oxidizing agents

7.3. Specific end use(s)

Specific use(s)
Automotive Care Product.

Risk Management Methods (RMM)
The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Sodium Hydroxide 1310-73-2	-	STEL: 2 mg/m³	TWA: 2 mg/m³	STEL: 2 mg/m³	-
Glycerine 56-81-5	-	TWA: 10 mg/m³ STEL: 30 mg/m³	TWA: 10 mg/m³	TWA: 10 mg/m³	TWA: 200 mg/m³
ETHANOL, 2,2'-IMINOBIS- 111-42-2	-	-	TWA: 3 ppm TWA: 15 mg/m³	TWA: 0.46 ppm TWA: 2 mg/m³ vía dérmica*	TWA: 0.11 ppm TWA: 0.5 mg/m³ H*
Ethanol 64-17-5	-	TWA: 1000 ppm TWA: 1920 mg/m³ STEL: 3000 ppm STEL: 5760 mg/m³	TWA: 1000 ppm TWA: 1900 mg/m³ STEL: 5000 ppm STEL: 9500 mg/m³	STEL: 1000 ppm STEL: 1910 mg/m³	TWA: 200 ppm TWA: 380 mg/m³
Methanol 67-56-1	TWA: 200 ppm TWA: 260 mg/m³ *	TWA: 200 ppm TWA: 266 mg/m³ STEL: 250 ppm STEL: 333 mg/m³ Sk*	TWA: 200 ppm TWA: 260 mg/m³ STEL: 1000 ppm STEL: 1300 mg/m³ *	TWA: 200 ppm TWA: 266 mg/m³ vía dérmica*	TWA: 100 ppm TWA: 130 mg/m³ H*
Sulfuric Acid 7664-93-9	TWA: 0.05 mg/m³	TWA: 0.05 mg/m³ STEL: 0.15 mg/m³	TWA: 0.05 mg/m³	TWA: 0.05 mg/m³	TWA: 0.1 mg/m³
3-Iodo-2-propynyl butylcarbamate 55406-53-6	-	-	-	-	TWA: 0.005 ppm TWA: 0.058 mg/m³

Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
Sodium Hydroxide 1310-73-2	-	Ceiling: 2 mg/m³	-	Ceiling: 2 mg/m³	Ceiling: 2 mg/m³
Glycerine 56-81-5	-	TWA: 10 mg/m³	-	TWA: 20 mg/m³	-
ETHANOL, 2,2'-IMINOBIS- 111-42-2	-	TWA: 1 mg/m³ P*	-	TWA: 0.46 ppm TWA: 2 mg/m³ iho*	TWA: 0.46 ppm TWA: 2 mg/m³ H*
Ethanol 64-17-5	-	TWA: 1000 ppm	TWA: 260 mg/m³ STEL: 1900 mg/m³ H*	TWA: 1000 ppm TWA: 1900 mg/m³ STEL: 1300 ppm STEL: 2500 mg/m³	TWA: 1000 ppm TWA: 1900 mg/m³
Methanol 67-56-1	TWA: 200 ppm TWA: 260 mg/m³ pelle*	TWA: 200 ppm TWA: 260 mg/m³ STEL: 250 ppm P*	TWA: 133 mg/m³ H*	TWA: 200 ppm TWA: 270 mg/m³ STEL: 250 ppm STEL: 330 mg/m³ iho*	TWA: 200 ppm TWA: 260 mg/m³ H*
Sulfuric Acid 7664-93-9	TWA: 0.05 mg/m³	TWA: 0.05 mg/m³	TWA: 0.05 mg/m³	TWA: 0.05 mg/m³ STEL: 0.1 mg/m³	TWA: 0.05 mg/m³
Benzaldehyde 100-52-7	-	-	-	TWA: 1 ppm TWA: 4.4 mg/m³ Ceiling: 4 ppm Ceiling: 17.4 mg/m³	-

Chemical Name	Austria	Switzerland	Poland	Norway	Ireland	Slovenia
Sodium Hydroxide 1310-73-2	TWA: 2 mg/m³ STEL 4 mg/m³	TWA: 2 mg/m³ STEL: 2 mg/m³	STEL: 1 mg/m³ TWA: 0.5 mg/m³	Ceiling: 2 mg/m³	STEL: 2 mg/m³	
Glycerine 56-81-5	-	TWA: 50 mg/m³ STEL: 100 mg/m³	TWA: 10 mg/m³	-	-	TWA: 200 mg/m³ STEL: STEL

						mg/m³
ETHANOL, 2,2'-IMINOBIS- 111-42-2	TWA: 0.46 ppm TWA: 2 mg/m³ STEL 0.92 ppm STEL 4 mg/m³ H*	TWA: 1 mg/m³ STEL: 1 mg/m³ H*	TWA: 9 mg/m³	TWA: 3 ppm TWA: 15 mg/m³ STEL: 6 ppm STEL: 22.5 mg/m³	TWA: 0.2 ppm TWA: 1 mg/m³ STEL: 0.6 ppm STEL: 3 mg/m³ Sk*	TWA: 0.5 mg/m³ TWA: 0.11 ppm STEL: STEL ppm STEL: STEL mg/m³ K*
Ethanol 64-17-5	TWA: 1000 ppm TWA: 1900 mg/m³ STEL 2000 ppm STEL 3800 mg/m³	TWA: 500 ppm TWA: 960 mg/m³ STEL: 1000 ppm STEL: 1920 mg/m³	TWA: 1900 mg/m³	TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³	STEL: 1000 ppm	TWA: 960 mg/m³ TWA: 500 ppm STEL: STEL ppm STEL: STEL mg/m³
Methanol 67-56-1	TWA: 200 ppm TWA: 260 mg/m³ STEL 800 ppm STEL 1040 mg/m³ H*	TWA: 200 ppm TWA: 260 mg/m³ STEL: 800 ppm STEL: 1040 mg/m³ H*	STEL: 300 mg/m³ TWA: 100 mg/m³	TWA: 100 ppm TWA: 130 mg/m³ STEL: 125 ppm STEL: 162.5 mg/m³ H*	TWA: 200 ppm TWA: 260 mg/m³ STEL: 600 ppm STEL: 780 mg/m³ Sk*	TWA: 200 ppm TWA: 260 mg/m³ STEL: STEL ppm STEL: STEL mg/m³ K*
Sulfuric Acid 7664-93-9	TWA: 0.1 mg/m³ STEL 0.2 mg/m³	TWA: 0.1 mg/m³ STEL: 0.2 mg/m³	TWA: 0.05 mg/m³	TWA: 0.1 mg/m³ STEL: 0.3 mg/m³	TWA: 0.05 ppm STEL: 0.15 ppm	TWA: 0.05 mg/m³ STEL: STEL mg/m³
3-Iodo-2-propynyl butylcarbamate 55406-53-6	-	TWA: 0.01 ppm TWA: 0.12 mg/m³ STEL: 0.02 ppm STEL: 0.24 mg/m³	-	-	-	TWA: 0.058 mg/m³ TWA: 0.005 ppm STEL: STEL ppm STEL: STEL mg/m³
Benzaldehyde 100-52-7	-	-	STEL: 40 mg/m³ TWA: 10 mg/m³	-	-	

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Methanol 67-56-1	-	-	-	15	15 mg/L
Chemical Name	**Austria**	**Switzerland**	**Poland**	**Norway**	**Ireland**
Methanol 67-56-1	-	30	-	-	-

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Controls Use exhaust ventilation to keep airborne concentrations below exposure limits.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Suitable protective clothing. Gloves made of plastic or rubber.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Liquid
Appearance Pink
Odor Banana
Odor threshold No information available

Property	Values	Remarks • Method
pH	No information available	
Melting point / freezing point	No information available	
Boiling point / boiling range	No information available	
Flash point	No information available	

Evaporation rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Relative density	No information available
Water solubility	No information available
Solubility(ies)	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available

9.2. Other information

Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density	No information available
Bulk density	No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not applicable

10.2. Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Excessive heat.

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Carbon oxides

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

Inhalation May cause irritation of respiratory tract.
Eye contact Irritating to eyes. May cause redness and tearing of the eyes.
Skin contact May cause skin irritation and/or dermatitis. Prolonged contact may cause redness and irritation.
Ingestion Ingestion may cause irritation to mucous membranes.

The following values are calculated based on chapter 3.1 of the GHS document
ATEmix (oral) 10,470.00 mg/kg
ATEmix (dermal) 14,136.05 mg/kg
Unknown acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Dodecylbenzenesulphonic Acid	= 1260 mg/kg (Rat)	631 - 1000 mg/kg (Rabbit)	
Cocoamide DEA	> 5000 mg/kg (Rat)	> 2 g/kg (Rabbit)	
ETHANOL, 2,2'-IMINOBIS-	= 780 mg/kg (Rat)	= 11.9 mL/kg (Rabbit)	
Ethanol	= 7060 mg/kg (Rat)		= 124.7 mg/L (Rat) 4 h

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Target Organ Effects Respiratory system, Eyes, Skin.

Aspiration hazard: No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium Hydroxide	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-
Glycerine	-	51 - 57: 96 h Oncorhynchus mykiss mL/L LC50 static	-
ETHANOL, 2,2'-IMINOBIS-	2.1 - 2.3: 96 h Pseudokirchneriella subcapitata mg/L EC50 7.8: 72 h Desmodesmus subspicatus mg/L EC50	1200 - 1580: 96 h Pimephales promelas mg/L LC50 static 4460 - 4980: 96 h Pimephales promelas mg/L LC50 flow-through 600 - 1000: 96 h Lepomis macrochirus mg/L LC50 static	55: 48 h Daphnia magna mg/L EC50
Ethanol	-	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static
Methanol	-	13500 - 17600: 96 h Lepomis	-

		macrochirus mg/L LC50 flow-through 18 - 20: 96 h Oncorhynchus mykiss mL/L LC50 static 19500 - 20700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 28200: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static	
Sulfuric Acid	-	500: 96 h Brachydanio rerio mg/L LC50 static	-
3-Iodo-2-propynyl butylcarbamate	-	0.049 - 0.079: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.05 - 0.089: 96 h Oncorhynchus mykiss mg/L LC50 0.14 - 0.32: 96 h Lepomis macrochirus mg/L LC50 flow-through 0.18 - 0.23: 96 h Pimephales promelas mg/L LC50 flow-through	-
Benzaldehyde	-	0.8 - 1.44: 96 h Lepomis macrochirus mg/L LC50 flow-through 10.6 - 11.8: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 6.8 - 8.53: 96 h Pimephales promelas mg/L LC50 flow-through 12.69: 96 h Oncorhynchus mykiss mg/L LC50 static 7.5: 96 h Lepomis macrochirus mg/L LC50 static	-

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Chemical Name	Partition coefficient
Glycerine	-1.76
ETHANOL, 2,2'-IMINOBIS-	-2.18
Ethanol	-0.32
Methanol	-0.77
Benzaldehyde	1.48

12.4. Mobility in soil

Mobility in soil
No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available

Endocrine Disruptor Information
None known.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
Waste codes / waste designations according to EWC / AVV	No Data Available
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG

14.1 UN/ID No	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	None
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	No information available
14.7 EmS-No	Not applicable

RID

14.1 UN/ID No	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	None
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	No information available
14.7 Classification code	No information available

ADR

14.1 UN/ID No	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	None
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	No information available
14.7 Classification code	No information available

IATA

14.1 UN/ID No	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	None
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	No information available
14.7 ERG Code	Not applicable

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Name	French RG number	Title
ETHANOL, 2,2'-IMINOBIS- 111-42-2	RG 49,RG 49bis	-
Ethanol 64-17-5	RG 84	-
Methanol	RG 84	-

67-56-1		

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:
This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical Name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Methanol - 67-56-1	Use restricted. See item 69.	

Persistent Organic Pollutants
Not applicable

Chemical Name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Methanol - 67-56-1	500	5000

Ozone-depleting substances (ODS) regulation (EC) 1005/2009
Not applicable

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Not determined
IECSC	Complies
KECL	Complies
PICCS	Not determined
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3
H225 - Highly flammable liquid and vapor
H301 - Toxic if swallowed
H302 - Harmful if swallowed
H311 - Toxic in contact with skin
H314 - Causes severe skin burns and eye damage
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H331 - Toxic if inhaled

H370 - Causes damage to organs
H372 - Causes damage to organs through prolonged or repeated exposure
H373 - May cause damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Legend
SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Revision Date	06-Oct-2020
Revision Note	Not applicable.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer
Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet