Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date17-09-2016

Revision Number 6



SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier 61-S

Power Foam Aerosol

1.2 Relevant identified uses of the substance or mixture and uses advised against

Automotive detailing

1.3 Details of the supplier of the

safety data sheet

ITW Evercoat

a division of Illinois Tool Works Inc.

1275 Round Table Drive

Dallas, TX 75247

1.4 Emergency telephone number CHEM

CHEM TEL: +1-813-248-0591

SECTION 2 Hazards identification

2.1 Classification of the substance or mixture

Classified in Flammable Liquid Category 1

accordance to (EC) No.

Germ Cell Mutagenicity Category 1B

1272/2008

Carcinogenicity Category 1A

Serious Eye Damage/Eye Irritation Category 2

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms





Signal Word Danger

Hazard Statements H224 - Extremely flammable liquid and vapour.

H319 - Causes serious eye irritation. H340 - May cause genetic defects..

H350 - May cause cancer.

Precautionary Statements

P201 - Obtain special instructions before use.

P233 - Keep container tightly closed.

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date17-09-2016

Revision Number 6

P280 - Wear protective gloves/protective clothing/eye protection/face

protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

P403+P235 - Store in a well-ventilated place. Keep cool.

Supplemental Hazard information (EU)

No data available

2.3 Other hazards No data available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical Name	%	CAS#	(EC) No 1272/2008	M Factor	SCL
Diethylene glycol	5 - 10	112-34-5	Eye Irrit. 2; H319	No data	No data
monobbutyl ether				available	available
Butane	5 - 10	106-97-8	Acute Tox. 3; H331	No data	No data
			Carc. 1A; H350	available	available
			Flam. Gas 1; H220		
			Flam. Liq. 1; H224		
			Press. Gas (*); H280		
			Muta. 1B; H340		

For full text of H-statements; See Section 16

SECTION 4 First aid measures

4.1 Description of first aid measures

Inhalation Remove to fresh air. If breathing is difficult, have a trained individual administer

oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately. No data available

Eye Contact Immediately flush eyes with plenty of water for at least 20 minutes retracting

eyelids often. Tilt the head to prevent chemical from transferring to the

uncontaminated eye. Get immediate medical attention and monitor the eye daily as

advised by your physician. No data available

Skin Contact Wash with soap and water. Remove contaminated clothing and launder. Get

medical attention if irritation develops or persists. No data available

Ingestion No hazard in normal industrial use. Do not induce vomiting. Seek medical attention

if symptoms develop. Provide medical care provider with this MSDS. No data

available

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date17-09-2016

Revision Number 6

Self protection of No data available **the first aider**

4.2 Most important symptoms and effects, both acute and delayed

Symptom See Section 4.1

4.3 Indication of any immediate medical attention and special treatment needed

Note to Doctor No additional first aid information available

SECTION 5 Firefighting measures

5.1 Extinguishing media

extinguishing agents. Water spray or fog may also be effective for extinguishing if swept across the base of the fire. Water can also be used to absorb heat and keep exposed material from being

damaged by fire.

Unsuitable extinguishing media No data available

5.2 Special hazards arising from the substance or mixture

Fire and/or Explosion Hazards Vapors may be ignited by heat, sparks, flames or other sources of

ignition at or above the low flash point giving rise to a Class B fire. Vapors are heavier than air and may travel to a source of ignition

and flash back

Hazardous Combustion Products Carbon dioxide, Carbon monoxide

5.3 Advice for firefighters

Fire Fighting Methods and Protection Do not enter fire area without proper protection including

self-contained toxic breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Flammable component(s) of this material may be lighter than water and burn while floating on the surface. Use water spray/fog for cooling. Flammable component(s) of this material may be lighter than water and burn while floating

on the surface.

SECTION 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For Non-emergency Personnel Non-emergency personnel should be kept clear of the area.

For emergency respondersExposure to the spilled material may be irritating or harmful.
Follow personal protective equipment recommendations found in

Section VIII of this MSDS. Additional precautions may be

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date17-09-2016

Revision Number 6

necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in

which the spill occurred. Also consider the expertise of

employees in the area responding to the spill.

6.2 Environmental precautions

No data available

6.3 Methods and material for containment and cleaning up

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and

proper personal protective equipment following the

recommendation of Section VIII at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation. Ensure clean-up measures are in compliance with OSHA (29 CFR

1910.120).

6.4 Reference to other sections

Refer to section 13 for disposal information.

SECTION 7 Handling and storage

7.1 Precautions for safe handling Harmful or irritating material. Avoid contacting and avoid

breathing the material. Use only in a well ventilated area. Use

spark-proof tools and explosion-proof equipment

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool dry ventilated location. Isolate from incompatible materials and conditions. Keep container(s) closed. Keep away

from sources of ignition

7.3 Specific end use(s)

Automotive detailing

SECTION 8 Exposure controls/personal protection

Occupational Exposure limit values

Chemical Name	ACGIH TLV-TWA	ACGIH STEL	IDLH
Butane	800 ppm	No data available	No data available

8.2 Exposure controls

Appropriate engineering controls Local exhaust ventilation or other engineering controls are

normally required when handling or using this product to avoid

overexposure.

Individual protection measures, such as personal protective equipment

Eye and face protection Wear chemically resistant safety glasses with side shields when

handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or

airborne material. Do not wear contact lenses. Have an eye wash

station available. None

Skin Protection

Hand protection No information available

Other skin protection Wear protective gloves. Inspect gloves for chemical break-

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date17-09-2016

Revision Number 6

through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving

work

Respiratory ProtectionRespiratory protection will be required when handling this

product. Use respirators only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. Wear a NIOSH approved respirator if any exposure is possible. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work

place conditions warrant the use of a respirator.

Thermal hazards No data available

Environmental exposure controls No data available

SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Liquid
Colour Pale yellow
Odour Fruity

Odour Threshold No data available

pH 10.5 Initial boiling point and boiling -1

range (°C)

Flash Point (°C) -104.4

Evaporation Rate No data available Flammability (Solid, gas) No data available

Upper/lower flammability or

explosive limits

Upper Flammable/Explosive 8.4

Limit, % in air

Lower Flammable/Explosive 1.8

Limit, % in air

Vapour PressureNo data availableVapour DensityNo data availableRelative DensityNo data availableSolubility(ies)Minimal; 1-9%

Partition coefficient: n- 2.36

octanol/water

Autoignition Temperature (°C) 430

Decomposition TemperatureNo data availableViscosityNo data availableExplosive propertiesNo data availableOxidizing propertiesNo data available

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date17-09-2016

Revision Number 6

9.2 Other information No data available

SECTION 10 Stability and reactivity

10.1 Reactivity No data available

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous

reactions

No data available

10.4 Conditions to avoid Elevated temperatures10.5 Incompatible materialsOxidizing materials

10.6 Hazardous decomposition

products

None Known

SECTION 11 Toxicological information

11.1 Information on toxicological effects

Acute Toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eve damage/irritation

рН	10.5

Classification is based on pH and the components listed in Section 3.

Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Classification has been based on toxicological information of the components in Section 3.

Carcinogenicity

Classification has been based on toxicological information of the components in Section 3.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date17-09-2016

Revision Number 6

SECTION 12 Ecological information

12.1 Toxicity No data available

Ecotoxicity Data

Chemical Name	CAS Number	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available				

12.2 Persistence and

degradability

No data available

12.3 Bioaccumulative

potential

No data

12.4 Mobility in soil No data available

12.5 Results of PBT and

vPvB assessment

No data available

12.6 Other adverse

effects

No data available

12.7 Additional

information

No data available

SECTION 13 Disposal considerations

13.1 Waste treatment methods

Waste Description for Spent

Product

Spent or discarded material is a hazardous waste.

Disposal Methods Dispose of by incineration following Federal, State, Local, or

Provincial regulations.

Waste Disposal Code(s) (European Waste Catalogue)

W070699

SECTION 14 Transport information

Ground:

14.1 UN number: 1950

14.2 UN proper shipping name: AEROSOLS

14.3 Transport hazard class(es): 2.1 **14.4** Packing group: 2

Exemptions: Limited Quantity

Air:

14.1 UN number: 1950

14.2 UN proper shipping name: AEROSOLS

14.3 Transport hazard class(es): 2.1 **14.4** Packing group: 2

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date17-09-2016 **Revision Number** 6

Water:

14.1 UN number: 1950

14.2 UN proper shipping name: **AEROSOLS**

14.3 Transport hazard class(es): 2.1 14.4 Packing group: 2

Exemptions: Limited Quantity

14.5 Environmental hazards: No

14.6 Special precautions for user: No data available 14.7 Transport in bulk according

to Annex II of MARPOL and the

IBC Code:

No data available

SECTION 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Name	EINECS	SVHC
Diethylene glycol monobbutyl ether	Υ	N
Butane	Υ	N

15.2 Chemical safety assessment No data available

SECTION 16 Other information

SDS Abbreviations: No data available References: No data available

Hazard phrase(s) referenced in section 3 H220 - Extremely flammable gas.

H224 - Extremely flammable liquid and vapour.

H280 - Contains gas under pressure; may explode if heated.

H319 - Causes serious eye irritation.

H331 - Toxic if inhaled.

H340 - May cause genetic defects..

H350 - May cause cancer.

Precautionary Statements

Prevention P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and

understood.

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No

smoking.

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date17-09-2016

Revision Number 6

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lighting equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P264 - Wash thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face

protection.

Response P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P308+P313 - IF exposed or concerned: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

P370+P378 - In case of fire: Use for extinction.

Storage P233 - Keep container tightly closed.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

Disposal P501 - Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances